MissXss API AI Reference

Bu dokuman yapay zeka araclarinin MissXss API endpointlerini, parametrelerini, scope gereksinimlerini ve ornek istek/yanitlarini anlayabilmesi icin uretilmistir.

Base URL
https://api.missxss.com.tr

Authentication
Bearer

Endpoints
71

Quick Start

- Use Authorization: Bearer YOUR_API_KEY on every request.
- Send POST requests to https://api.missxss.com.tr/v1/{scope}.
- Use Content-Type: application/json and include only the parameters listed for the endpoint.

Canli Socket Akisi - 1 endpoints

POST

WebSocket Baglanti Tokeni Al

scope: realtime-ticket
limit: 30/min

`https://api.missxss.com.tr/v1/realtime-ticket`

Sectiginiz olay turlerine abone olmak icin 60 saniye gecerli, tek kullanimlik WebSocket baglanti tokeni olusturur. Yanittaki alanin adi ticket'tir; API anahtarindan farklidir. websocket_url adresine baglanin ve ilk 5 saniye icinde ticket ile authenticate mesaji gonderin. ready sonrasinda event mesajlari gelir; status ve music icin ilk durum da gonderilir. Baglanti koparsa veya sunucu yeniden baslarsa yeni token alip yeniden baglanin; kacirilan olaylar yeniden gonderilmez. API anahtarini tarayici koduna koymayin. Anahtar basina en fazla 5 eszamanli baglanti acilabilir.

Parameters

Name	Type	Req	Description
`categories`	`array`	yes	Bir veya daha fazla tur: chat, alerts, missclicks, status, music

Example Request Body

```
{"categories":["chat","alerts"]}
```

Example Success Response

```
{"success":true,"websocket_url":"wss://missxss.com.tr/socket/realtime","ticket":"...","expires_in":60,"categories":["chat","alerts
```

Sohbet ve Mesajlasma - 3 endpoints

POST

Mesaj Gonder (Yayinci Olarak)

scope: send-message
limit: 3/min

`https://api.missxss.com.tr/v1/send-message`

Yayinci hesabiniz uzerinden chate mesaj gonderir. Mesaj, kendi adinizla gorunur. Kotu niyetli kullanimi engellemek amaciyla dakikada 3 mesajla sinirlandirilmistir.

Parameters

Name	Type	Req	Description
`message`	`string`	yes	Gonderilecek mesaj metni (1-500 karakter)
`platform`	`string`	no	Hedef platform: Kick veya Twitch (varsayilan: Kick)

Example Request Body

```
{"message":"Hello Chat!"}
```

Example Success Response

```
{"success":true,"message_id":"abc123"}
```

POST

Mesaj Gonder (Bot Olarak)

scope: send-bot-message
limit: 90/min

`https://api.missxss.com.tr/v1/send-bot-message`

MissXss bot hesabi uzerinden chate mesaj gonderir. Mesaj, bot adiyla gorunur.

Parameters

Name	Type	Req	Description
`message`	`string`	yes	Gonderilecek mesaj metni (1-500 karakter)
`platform`	`string`	no	Hedef platform: Kick veya Twitch (varsayilan: Kick)

Example Request Body

```
{"message":"This is a bot message!"}
```

Example Success Response

```
{"success":true,"message_id":"def456"}
```

POST

TTS Mesaji Okut

scope: tts
limit: 20/min

`https://api.missxss.com.tr/v1/tts`

Yayinda sesli mesaj okutturur. Overlay'in bagli olmasi gerekir. Dakikada maksimum istek siniri (rate limit) uygulanir.

Parameters

Name	Type	Req	Description

text	string	yes	Sesli okunacak metin (1-500 karakter)
username	string	no	Ekranda gosterilecek kullanici adi (varsayilan: "API")

Example Request Body

```
{"text":"Merhaba Yayin!","username":"Bot"}
```

Example Success Response

```
{"success":true,"ttsId":"a1b2c3d4..."}
```

Yayin Kontrolleri - 6 endpoints

POST

Klip Al

https://api.missxss.com.tr/v1/clip

scope: clip
limit: 20/min

Aktif yayindan anlik klip olusturur. Kick'te eklenti baglantisi, Twitch'te API ile calisir. Yayinin acik olmasi gerekir.

Parameters

Name	Type	Req	Description
title	string	no	Klip basligi (varsayilan: "Clip - MissXss API")
duration	integer	no	Klip suresi (5-180 saniye, varsayilan: 30)
platform	string	no	Yalnizca secilen platformdan klip almak icin Kick veya Twitch. Gonderilmezse ya da all gonderilirse tum canli platformlardan klip alinir.
send_chat_message	boolean	no	Klip baglantisini sohbete gonderir. false gonderilirse hicbir platforma sohbet mesaji gonderilmez (varsayilan: true).

Example Request Body

```
{"title":"Epic moment!","duration":45,"platform":"all","send_chat_message":true}
```

Example Success Response

```
{"success":true,"platform":"all","send_chat_message":true,"clips":{"kick":"https://kick.com/channel/clips/clip_id","twitch":"https
v/clip_id"},"platforms":{"kick":"created","twitch":"created"}}
```

POST

Oyun / Kategori Degistir

https://api.missxss.com.tr/v1/game

scope: game
limit: 20/min

Yayin kategorisini degistirir. Platform gonderilmezse Kick ve Twitch birlikte guncellenir; platform gonderilirse yalnizca secilen platform guncellenir. Oyun adi veya Kick kategori ID gonderilebilir; her ikisi gonderilirse ID onceliklidir.

Parameters

Name	Type	Req	Description

game	string	no	Oyun/kategori adi (or: "Valorant"). kick_category_id gonderilmezse zorunludur.
kick_category_id	integer	no	Kick kategori ID'si. Biliniyorsa dogrudan ID gondermek daha hizlidir.
platform	string	no	Yalnizca bir platformu guncellemek icin Kick veya Twitch. Gonderilmezse ikisi de guncellenir.

Example Request Body

```
{"game":"Valorant"}
```

Example Success Response

```
{"success":true,"game":"VALORANT","platform":"all"}
```

POST Akilli Oyun / Kategori Ara

scope: search-games
limit: 40/min

https://api.missxss.com.tr/v1/search-games

Oyun veritabaninda akilli arama yapar. Tam isim eslesmesi, slug, baslangic eslesmesi, kelime kapsama ve yazim benzerligi birlikte skorlanir; en yakin oyunlar benzerlik oranina gore doner.

Parameters

Name	Type	Req	Description
query	string	yes	Aranacak oyun/kategori adi (2-100 karakter). game veya search alani da kabul edilir.
limit	integer	no	Donecek maksimum kayit sayisi (1-50, varsayilan: 10)
min_similarity	number	no	Minimum benzerlik skoru (0-100, varsayilan: 25)

Example Request Body

```
{"query":"banana","limit":10}
```

Example Success Response

```
{"success":true,"query":"banana","total":3,"best_match":{"kick_category_id":123,"name":"Banana","slug":"banana","score":100,"match_type":"exact_name"},"games":[{"kick_category_id":123,"name":"Banana","slug":"banana","score":100,"match_type":"exact_name"}]}
```

POST Yayin Basligi Degistir

scope: title
limit: 20/min

https://api.missxss.com.tr/v1/title

Yayin basligini degistirir. Platform gonderilmezse bagli Kick, Twitch ve YouTube hesaplari guncellenir; platform gonderilirse yalnizca secilen platform guncellenir.

Parameters

Name	Type	Req	Description
title	string	yes	Yeni yayin basligi (1-140 karakter)
platform	string	no	Yalnizca bir platformu guncellemek icin Kick, Twitch veya YouTube. Gonderilmezse tumu guncellenir.

Example Request Body

```
{"title":"Yeni yayin basligim!"}
```

Example Success Response

```
{"success":true,"platform":"all"}
```

POST

Yayin Bilgilerini Getir

scope: get-stream-meta
limit: 120/min

`https://api.missxss.com.tr/v1/get-stream-meta`

POST methodu ile yayin meta bilgilerini doner. viewer_count ve followers_count dahil edilir.

Parameters

Name	Type	Req	Description
`platform`	`string`	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"platform":"Kick","channel":"kanaladi","title":"Live Stream","category":"Just
Chatting","category_id":"123","viewer_count":245,"followers_count":19234,"is_live_any":1,"is_live_kick":1,"is_live_twitch":0,"kick
":"2026-04-18"}
```

POST

Yayin Bilgilerini Guncelle

scope: set-stream-meta
limit: 30/min

`https://api.missxss.com.tr/v1/set-stream-meta`

Baslik ve/veya oyun bilgisini tek istekte gunceller. Platform gonderilmezse tum uygun platformlar, gonderilirse yalnizca secilen platform guncellenir. title, game veya kick_category_id alanlarindan en az biri gonderilmelidir.

Parameters

Name	Type	Req	Description
`title`	`string`	no	Yeni yayin basligi (1-140 karakter)
`game`	`string`	no	Oyun/kategori adi
`kick_category_id`	`integer`	no	Dogrudan Kick kategori ID
`platform`	`string`	no	Kick, Twitch veya yalnizca baslik degisiminde YouTube. Gonderilmezse tum uygun platformlar guncellenir.

Example Request Body

```
{"title":"Yeni Baslik","game":"Valorant"}
```

Example Success Response


```
{"success":true,"platform":"all","title_updated":true,"game_updated":true,"title":"New
Title","category":"VALORANT","viewer_count":245,"followers_count":19234}
```


Alert ve Event - 4 endpoints

POST **Audio Alert Tetikle**

`https://api.missxss.com.tr/v1/trigger-audio-alert`

Aktif bir audio alerti ID veya isim ile tetikler. Overlay baglantisi zorunludur.

scope: trigger-audio-alert
limit: 60/min

Parameters

Name	Type	Req	Description
id	integer	no	Audio alert ID (id veya name zorunlu)
name	string	no	Audio alert adi (id veya name zorunlu)
username	string	no	Alert uzerinde gozukecek kullanici adi (varsayilan: API)

Example Request Body


```
{"id":849,"name":"airhorn","username":"api_bot"}
```


Example Success Response


```
{"success":true,"id":12,"alert_id":"A12","name":"airhorn"}
```


POST **Audio Alertleri Listele**

`https://api.missxss.com.tr/v1/list-audio-alerts`

Audio alert kayitlarini ID, isim ve puan bilgisiyle listeler.

scope: list-audio-alerts
limit: 90/min

Parameters

Name	Type	Req	Description
status	string	no	Filtre: all | active | inactive (varsayilan: all)
limit	integer	no	Kayit sayisi (1-200, varsayilan: 50)
offset	integer	no	Baslangic ofseti (varsayilan: 0)

Example Request Body


```
{"status":"active","limit":20,"offset":0}
```

Example Success Response


```
{"success":true,"total":2,"limit":20,"offset":0,"alerts":[{"id":14,"name":"airhorn","points":500,"status":"active"}]}
```


POST Bagis Simulasyonu Gonder

scope: send-donation
limit: 90/min

`https://api.missxss.com.tr/v1/send-donation`

BynoGame, StreamElements, StreamLabs veya Ko-fi bagisi gelmis gibi isleyip event kaydi olusturur ve bagis alertini tetikler.

Parameters

Name	Type	Req	Description
provider	string	yes	BynoGame | StreamElements | StreamLabs | Ko-fi
amount	number	yes	Bagis miktari (pozitif)
currency	string	yes	Kur Turu ($ EUR TRY vb.)
username	string	no	Bagis yapan kullanici adi (varsayilan: api_donor)
displayname	string	no	Bagis yapan gorunen ad
message	string	no	Bagis mesaji
userid	string	no	Bagis yapan kullanici ID (opsiyonel)
platform	string	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body


```
{"provider":"StreamLabs","amount":50,"currency":"TRY","username":"viewer123","displayname":"Viewer123","message":"GG!"}
```


Example Success Response


```
"{\"success\": true, \"provider\": \"StreamLabs\", \"amount\": 50, \"currency\" => \"TRY\", \"username\": \"viewer123\", \"displayn
\"Viewer123\", \"message\": \"GG!\"}"
```


POST Son Aktivite Ozeti

scope: get-recent-activity
limit: 60/min

`https://api.missxss.com.tr/v1/get-recent-activity`

Son takipci, abone, banlanan, bagisci, Kick bit ve Twitch bit kayitlarini tek istekte doner.

Parameters

Name	Type	Req	Description
limit	integer	no	Her liste icin kayit sayisi (1-20, varsayilan: 5)

Example Request Body


```
{"limit":5}
```

Example Success Response


```
{"success":true,"limit":5,"latest_followers":[],"latest_subscribers":[],"latest_banned":[],"latest_donors":[],"latest_kick_bits":[],"latest_bits":[]}
```


Efektler - 1 endpoints

POST **Efekt Tetikle**

scope: effect-trigger
limit: 120/min

`https://api.missxss.com.tr/v1/effect-trigger`

Trigger destekli efekt overlayini API uzerinden tetikler. Payload icinde action, overlay_id, effect_type, effect_settings ve data gonderilir; options gonderilmez. data bos birakilirsa varsayilan olarak sadece data.userstate gelir.

Parameters

Name	Type	Req	Description
`overlay_id`	`string`	no	Tetiklenecek efekt overlay ID (overlay_id veya overlay_ids zorunlu)
`overlay_ids`	`array`	no	Birden fazla overlay tetiklemek icin overlay ID listesi (maksimum 20)
`platform`	`string`	no	Varsayilan userstate platformu: Kick, Twitch, YouTube veya TikTok (varsayilan: Kick)
`data`	`object`	no	Efekt koduna aktarilacak ozel JSON obje. Bos gonderilirse sadece userstate eklenir; gonderilirse userstate ile birlikte kendi alanlariniz payload.data icinde yer alir.

Example Request Body


```
{"overlay_id":"effect_overlay_1","data":{"message":"API trigger","amount":100,"userstate":{"username":"api_user","displayname":"API User","platform":"Kick"}}}
```


Example Success Response


```
{"success":true,"triggered":1,"total":1,"results":[{"overlay_id":"effect_overlay_1","success":true,"error":null}],"data_keys":["message","amount","userstate"]}
```


Topluluk Verileri - 1 endpoints

POST **Kick Abonelerini Listele**

scope: get-kick-subscribers
limit: 60/min

`https://api.missxss.com.tr/v1/get-kick-subscribers`

kick_subscribers tablosundaki aboneleri listeler. Varsayilan olarak sadece suresi gecmemis aboneler doner.

Parameters

Name	Type	Req	Description
`include_expired`	`boolean|string`	no	1/true gonderilirse suresi gecmis aboneler de dahil edilir
`limit`	`integer`	no	Kayit sayisi (1-200, varsayilan: 50)

offset	integer	no	Baslangic ofseti (varsayilan: 0)

Example Request Body

```
{"include_expired":0,"limit":20,"offset":0}
```

Example Success Response

```
{"success":true,"total":12,"limit":20,"offset":0,"include_expired":0,"subscribers":[{"id":1,"kick_user_id":"123","kick_username":"v
playname":"Viewer","subscription_type":"self","tier":1}]}
```

Muzik ve Song Request - 3 endpoints

POST

Sarkiyi Baslat / Devam Ettir

https://api.missxss.com.tr/v1/start-song

Duraklatilmis sarkiyi devam ettirir veya calmayi baslatir.

scope: start-song
limit: 30/min

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true}
```

POST

Sarkiyi Duraklat

https://api.missxss.com.tr/v1/stop-song

Calmakta olan sarkiyi duraklatir.

scope: stop-song
limit: 30/min

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true}
```

POST

Sarkiyi Gec

`https://api.missxss.com.tr/v1/skip-song`

Mevcut sarkiyi atlayip siradaki sarkiya gecer.

scope: skip-song
limit: 30/min

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true}
```

Puan ve Ekonomi - 12 endpoints

POST

Puan Ekle

`https://api.missxss.com.tr/v1/add-points`

Belirtilen kullaniciya puan ekler. Once userid (Kick ID) ile aranir, bulunamazsa username ile devam eder.

scope: add-points
limit: 90/min

Parameters

Name	Type	Req	Description
`userid`	`string`	no	Hedef kullanici ID
`username`	`string`	no	Hedef kullanici adi (@ isaretsiz). userid bulunamazsa fallback olarak kullanilir.
`amount`	`number`	yes	Eklenecek puan miktari (1 - 99.999.999)
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123","amount":100}
```

Example Success Response

```
{"success":true}
```

POST

Puan Kaldir

scope: remove-points
limit: 90/min

`https://api.missxss.com.tr/v1/remove-points`

Belirtilen kullanicidan puan duser. Once userid (Kick ID) ile aranir, bulunamazsa username ile devam eder.

Parameters

Name	Type	Req	Description
`userid`	`string`	no	Hedef kullanici ID
`username`	`string`	no	Hedef kullanici adi (@ isaretsiz). userid bulunamazsa fallback olarak kullanilir.
`amount`	`number`	yes	Dusulecek puan miktari (1 - 99.999.999)
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123","amount":50}
```

Example Success Response

```
{"success":true}
```

POST

Kullanici Puanini Getir

scope: get-points
limit: 120/min

`https://api.missxss.com.tr/v1/get-points`

Belirli bir kullanicinin puan/coin/mesaj sayisi bilgisini doner. Once userid (Kick ID), bulunamazsa username kontrol edilir.

Parameters

Name	Type	Req	Description
`userid`	`string`	no	Hedef kullanici ID
`username`	`string`	no	Kullanici adi (@ isaretsiz). userid bulunamazsa fallback olarak kullanilir.
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123"}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123","username":"viewer123","displayname":"Viewer123","points":500,"coin":25
```

POST

Puan Siralamasini Getir

https://api.missxss.com.tr/v1/get-points-top

Puan siralamasini doner (limit/offset destekli).

scope: get-points-top
limit: 90/min

Parameters

Name	Type	Req	Description
limit	integer	no	Kayit sayisi (1-100, varsayilan: 20)
offset	integer	no	Baslangic ofseti (varsayilan: 0)
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","limit":10,"offset":0}
```

Example Success Response

```
{"success":true,"platform":"Kick","limit":10,"offset":0,"total":1200,"users":[{"rank":1,"username":"topuser","points":99999}]}
```

POST

Puani Dogrudan Ata

https://api.missxss.com.tr/v1/set-points

Kullanicinin puanini dogrudan verilen degere ayarlar. Once userid (Kick ID), bulunamazsa username kontrol edilir.

scope: set-points
limit: 90/min

Parameters

Name	Type	Req	Description
userid	string	no	Hedef kullanici ID
username	string	no	Kullanici adi (@ isaretsiz). userid bulunamazsa fallback olarak kullanilir.
amount	integer	yes	Yeni puan degeri (0 - 99.999.999)
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123","amount":2500}
```

Example Success Response

```
{"success":true,"platform":"Kick","username":"viewer123","old_points":1200,"points":2500,"changed":1300}
```

POST

Puan Transferi

scope: transfer-points
limit: 90/min

`https://api.missxss.com.tr/v1/transfer-points`

Bir kullanicidan digerine puan transfer eder. Gonderen/alici icin once userid, bulunamazsa username fallback kullanilir.

Parameters

Name	Type	Req	Description
`from_userid`	`string`	no	Gonderen kullanici ID
`from_username`	`string`	no	Gonderen kullanici adi (@ isaretsiz), fallback
`to_userid`	`string`	no	Alici kullanici ID
`to_username`	`string`	no	Alici kullanici adi (@ isaretsiz), fallback
`amount`	`integer`	yes	Transfer miktari (1 - 99.999.999)
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","from_userid":"111","from_username":"alice","to_userid":"222","to_username":"bob","amount":100}
```

Example Success Response

```
{"success":true,"platform":"Kick","from_username":"alice","from_user_id":"111","to_username":"bob","to_user_id":"222","amount":100
```

POST

Coin Ekle

scope: add-coin
limit: 90/min

`https://api.missxss.com.tr/v1/add-coin`

Belirtilen kullaniciya coin ekler. Once userid, bulunamazsa username kullanilir.

Parameters

Name	Type	Req	Description
`userid`	`string`	no	Hedef kullanici ID
`username`	`string`	no	Hedef kullanici adi (@ isaretsiz), fallback
`amount`	`integer`	yes	Eklenecek coin miktari (1 - 99.999.999)
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123","amount":100}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123456","username":"viewer123","amount":100,"coin":350}
```

POST

Coin Cikar

https://api.missxss.com.tr/v1/remove-coin

Belirtilen kullanicidan coin cikarir. Once userid, bulunamazsa username kullanilir.

scope: remove-coin
limit: 90/min

Parameters

Name	Type	Req	Description
userid	string	no	Hedef kullanici ID
username	string	no	Hedef kullanici adi (@ isaretsiz), fallback
amount	integer	yes	Cikarilacak coin miktari (1 - 99.999.999)
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123","amount":50}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123456","username":"viewer123","amount":50,"coin":300}
```

POST

Kullanici Coin Bilgisini Getir

https://api.missxss.com.tr/v1/get-coin

Belirli bir kullanicinin coin bakiyesini doner.

scope: get-coin
limit: 120/min

Parameters

Name	Type	Req	Description
userid	string	no	Hedef kullanici ID
username	string	no	Hedef kullanici adi (@ isaretsiz), fallback
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123"}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123456","username":"viewer123","displayname":"Viewer123","coin":300}
```

POST

Coin Siralamasini Getir

`https://api.missxss.com.tr/v1/get-coin-top`

Coin siralamasini limit ve offset destegiyle doner.

scope: get-coin-top
limit: 90/min

Parameters

Name	Type	Req	Description
`limit`	`integer`	no	Kayit sayisi (1-100, varsayilan: 20)
`offset`	`integer`	no	Baslangic ofseti (varsayilan: 0)
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","limit":10,"offset":0}
```

Example Success Response

```
{"success":true,"platform":"Kick","limit":10,"offset":0,"users":[{"rank":1,"user_id":"123456","username":"topuser","coin":99999}]}
```

POST

Coin Degerini Dogrudan Ata

`https://api.missxss.com.tr/v1/set-coin`

Kullanicinin coin bakiyesini dogrudan verilen degere ayarlar.

scope: set-coin
limit: 90/min

Parameters

Name	Type	Req	Description
`userid`	`string`	no	Hedef kullanici ID
`username`	`string`	no	Hedef kullanici adi (@ isaretsiz), fallback
`amount`	`integer`	yes	Yeni coin degeri (0 - 99.999.999)
`platform`	`string`	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","username":"viewer123","amount":2500}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123456","username":"viewer123","old_coin":300,"coin":2500,"changed":2200}
```

POST

Coin Transferi

scope: transfer-coin
limit: 90/min

`https://api.missxss.com.tr/v1/transfer-coin`

Iki farkli kullanici arasinda coin transfer eder. Yetersiz bakiye veya alici limit asiminda hicbir bakiye degistirilmez.

Parameters

Name	Type	Req	Description
from_userid	string	no	Gonderen kullanici ID
from_username	string	no	Gonderen kullanici adi (@ isaretsiz), fallback
to_userid	string	no	Alici kullanici ID
to_username	string	no	Alici kullanici adi (@ isaretsiz), fallback
amount	integer	yes	Transfer miktari (1 - 99.999.999)
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","from_userid":"111","from_username":"alice","to_userid":"222","to_username":"bob","amount":100}
```

Example Success Response

```
{"success":true,"platform":"Kick","from_username":"alice","from_user_id":"111","from_coin":400,"to_username":"bob","to_user_id":"2
,"amount":100}
```

Izleme Suresi - 4 endpoints

POST

Izleme Suresi Duzenle

scope: adjust-watch-time
limit: 60/min

`https://api.missxss.com.tr/v1/adjust-watch-time`

Izleme suresini add/remove/set modlariyla duzenler. amount degeri dakika cinsindendir. day verilmezse toplam istatistigi artirmak icin eski bir fallback tarih kullanilir.

Parameters

Name	Type	Req	Description
userid	string	no	Hedef kullanici ID
username	string	no	Hedef kullanici adi (@ isaretsiz). userid bulunamazsa fallback olarak kullanilir.
mode	string	yes	Islem modu: add | remove | set
amount	integer	yes	Dakika cinsinden miktar. add/remove icin min 1, set icin min 0 (maksimum 99.999.999 dakika)
day	string	no	Hedef gun (YYYY-MM-DD). Gonderilmezse fallback tarih kullanilir.

platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","mode":"add","amount":30,"day":"2026-04-17"}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123456","username":"viewer123","displayname":"Viewer123","mode":"add","amount":30,"amo
e","day":"2026-04-17","used_fallback_day":0,"watch_time":245,"watch_time_unit":"minute"}
```

POST Izleme Suresi Sorgula

scope: get-watch-time
limit: 120/min

https://api.missxss.com.tr/v1/get-watch-time

Tek kullanici icin izleme suresi ve mesaj sayisini doner. day ile tek gun, date_from/date_to ile aralik, hicbir tarih gonderilmezse tum zamanlar sorgulanir.

Parameters

Name	Type	Req	Description
userid	string	no	Hedef kullanici ID
username	string	no	Hedef kullanici adi (@ isaretsiz). userid bulunamazsa fallback olarak kullanilir.
day	string	no	Tek gun filtresi (YYYY-MM-DD)
date_from	string	no	Aralik baslangic tarihi (YYYY-MM-DD), date_to ile birlikte gonderilmelidir
date_to	string	no	Aralik bitis tarihi (YYYY-MM-DD), date_from ile birlikte gonderilmelidir
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","userid":"123456","day":"2026-04-17"}
```

Example Success Response

```
{"success":true,"platform":"Kick","user_id":"123456","username":"viewer123","displayname":"Viewer123","query_mode":"day","day":"202
rom":null,"date_to":null,"watch_time":245,"watch_time_unit":"minute","message_count":18}
```

POST Izleme Suresi Siralamasi

scope: get-watch-time-top
limit: 90/min

https://api.missxss.com.tr/v1/get-watch-time-top

Izleme suresine gore kullanici siralamasi doner. day veya date_from/date_to ile filtrelenebilir.

Parameters

Name	Type	Req	Description
limit	integer	no	Kayit sayisi (1-100, varsayilan: 20)

offset	integer	no	Baslangic ofseti (varsayilan: 0)
day	string	no	Tek gun filtresi (YYYY-MM-DD)
date_from	string	no	Aralik baslangic tarihi (YYYY-MM-DD), date_to ile birlikte gonderilmelidir
date_to	string	no	Aralik bitis tarihi (YYYY-MM-DD), date_from ile birlikte gonderilmelidir
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","day":"2026-04-17","limit":10,"offset":0}
```

Example Success Response

```
{"success":true,"platform":"Kick","query_mode":"day","day":"2026-04-17","date_from":null,"date_to":null,"limit":10,"offset":0,"total
me_unit":"minute","users":[{"rank":1,"user_id":"123456","username":"viewer123","displayname":"Viewer123","watch_time":245
```

POST

Toplu Izleme Suresi Duzenle

scope: adjust-watch-time-bulk
limit: 20/min

https://api.missxss.com.tr/v1/adjust-watch-time-bulk

Bir istekte birden fazla kullanici icin izleme suresi duzenler. amount degeri dakika cinsindendir. Her kullanici satirinda amount verilebilir; verilmezse request icindeki default amount kullanilir.

Parameters

Name	Type	Req	Description
mode	string	yes	Islem modu: add | remove | set
day	string	no	Hedef gun (YYYY-MM-DD). Gonderilmezse fallback tarih kullanilir.
amount	integer	no	Default dakika miktari. users[].amount bossa kullanilir.
users	array	yes	1-100 kullanici listesi. Her elemanda userid veya username ve opsiyonel amount bulunur.
platform	string	yes	Zorunlu platform: Kick, Twitch, YouTube veya TikTok

Example Request Body

```
{"platform":"Kick","mode":"add","day":"2026-04-17","users":[{"userid":"123456","amount":30},{"username":"viewer2","amount":15}]}
```

Example Success Response

```
{"success":true,"partial":0,"platform":"Kick","mode":"add","day":"2026-04-17","used_fallback_day":0,"amount_unit":"minute","watch_
e","total_requested":2,"processed_count":2,"failed_count":0,"users":[{"index":0,"user_id":"123456","username":"viewer123","displayn
,"mode":"add","amount":30,"day":"2026-04-17","watch_time":245,"message_count":18}],"failed":[]}
```

Komut Yonetimi - 8 endpoints

POST

Komut Calistir

scope: run-command
limit: 90/min

https://api.missxss.com.tr/v1/run-command

MissXss panelinde tanimladiginiz bir chat komutunu calistirir. Komut adi veya komut ID ile cagrilabilir. Komutun cevap mesaji gonderilir ve varsa aksiyonlari (timeout, ban, voicemod vb.) otomatik olarak islenir.

Parameters

Name	Type	Req	Description
command	string	no	Komut adi (or: "!selam" veya "selam"). command veya id zorunlu.
id	integer	no	Komut ID degeri. command veya id zorunlu.
message	string	no	Komuta eklenecek ek mesaj / argumanlar
username	string	no	Komutu calistiran kullanici adi (varsayilan: yayinci adi)

Example Request Body

```
{"command":"!hello"}
```

Example Success Response

```
{"success":true,"id":22029,"command":"!hello","active":1,"response":"Herkese merhaba!"}
```

POST

Komutlari Listele (Detayli)

scope: list-commands
limit: 90/min

https://api.missxss.com.tr/v1/list-commands

Yayinciya ait tum komutlari detayli doner. run-command ve toggle-command icin komut ID ogrenmek amaciyla kullanilabilir. Response alanlari: total=toplam komut sayisi; commands[]=komut listesi; id=komut ID; command=ana komut adi; aliases=esdeger komutlar; active=aktiflik (1/0); show_in_list=komutlar listesinde gosterim; cooldown_global_seconds=tum chat icin bekleme suresi; cooldown_user_seconds=kullanici bazli bekleme suresi; message=komut cevabi; permissions=izinli yetkiler; denied_permissions=engelli yetkiler; action_json=komut aksiyon JSON; platform_kick/platform_twitch/platform_tiktok/platform_youtube=platform aktiflikleri; auto_message_interval_minutes=otomatik gonderim dakikasi; auto_message_min_chat_count=yeniden otomatik gonderim icin minimum chat mesaj sayisi; last_run_at=son kullanim zamani; last_global_run_at=global son kullanim zamani; last_user_run_data=kullanici bazli son kullanim verisi; points_cost/coin_cost/delete_cost=komut maliyetleri; only_game_ids=sadece bu kategori(ler)de calisir; blocked_game_ids=bu kategori(ler)de calismaz; last_auto_message_kick_at/last_auto_message_twitch_at=platform bazli son otomatik gonderim zamani; raw=bellekteki ham komut objesi.

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"total":2,"commands":[{"id":22029,"command":"!hello","aliases":["!hello","hello"],"active":1,"show_in_lis":0,"coo
nds":0,"cooldown_user_seconds":0,"message":"Hello!","permissions":"","denied_permissions":"","action_json":"","platform_k":1,"p
,"platform_tiktok":1,"platform_youtube":1,"auto_message_interval_minutes":0,"auto_message_min_chat_count":0,"last_run_at":0,"l...
```

POST

Komutu Ac / Kapat

https://api.missxss.com.tr/v1/toggle-command

Bir komutu adi veya ID ile acar, kapatir ya da toggle eder. mode degeri: on | off | toggle.

scope: toggle-command
limit: 60/min

Parameters

Name	Type	Req	Description
command	string	no	Komut adi. command veya id zorunlu.
id	integer	no	Komut ID degeri. command veya id zorunlu.
mode	string	yes	Islem modu: on	off	toggle

Example Request Body

```
{"id":22029,"mode":"off"}
```

Example Success Response

```
{"success":true,"id":22029,"command":"!hello","active":0,"changed":true,"mode":"off"}
```

POST

Komut Olustur

https://api.missxss.com.tr/v1/create-command

Yeni komut olusturur ve komut listesine ekler.

scope: create-command
limit: 60/min

Parameters

Name	Type	Req	Description
command	string	yes	Komut adi (maks. 50 karakter)
message	string	yes	Komut cevabi

Example Request Body

```
{"command":"!hi","message":"Hello everyone!"}
```

Example Success Response

```
{"success":true,"id":22035,"command":"!hi","aliases":["!hi"],"active":1}
```

POST

Komut Guncelle

https://api.missxss.com.tr/v1/update-command

Komut mesajini ve/veya alias listesini gunceller.

scope: update-command
limit: 60/min

Parameters

Name	Type	Req	Description

command	string	no	Komut adi (command veya id zorunlu)
id	integer	no	Komut ID (command veya id zorunlu)
message	string	no	Yeni komut cevabi
aliases	string|array	no	Yeni alias listesi (virgullu string veya dizi)

Example Request Body

```
{"id":22035,"message":"Hello there!"}
```

Example Success Response

```
{"success":true,"id":22035,"command":"!hi","aliases":["!hi","!hello"],"message":"Hello there!"}
```

POST

Komut Sil

https://api.missxss.com.tr/v1/delete-command

Komutu adi veya ID ile siler.

scope: delete-command
limit: 60/min

Parameters

Name	Type	Req	Description
command	string	no	Komut adi (command veya id zorunlu)
id	integer	no	Komut ID (command veya id zorunlu)

Example Request Body

```
{"id":22035}
```

Example Success Response

```
{"success":true,"deleted":true,"command":"selam","id":22035}
```

POST

Komut Cooldown Ayarla

https://api.missxss.com.tr/v1/set-command-cooldown

Komutun global ve kullanici bazli cooldown surelerini ayarlar.

scope: set-command-cooldown
limit: 60/min

Parameters

Name	Type	Req	Description
command	string	no	Komut adi (command veya id zorunlu)
id	integer	no	Komut ID (command veya id zorunlu)

cooldown_global_seconds	integer	no	Global bekleme suresi (0-86400)
cooldown_user_seconds	integer	no	Kullanici bazli bekleme suresi (0-86400)

Example Request Body

```
{"id":22029,"cooldown_global_seconds":10,"cooldown_user_seconds":30}
```

Example Success Response

```
{"success":true,"id":22029,"command":"hello","cooldown_global_seconds":10,"cooldown_user_seconds":30}
```

POST

Komut Platformlarini Ayarla

https://api.missxss.com.tr/v1/set-command-platforms

Komutun platform aktifliklerini gunceller.

scope: set-command-platforms
limit: 60/min

Parameters

Name	Type	Req	Description
command	string	no	Komut adi (command veya id zorunlu)
id	integer	no	Komut ID (command veya id zorunlu)
platform_kick	boolean|integer	no	Kick aktif (1/0)
platform_twitch	boolean|integer	no	Twitch aktif (1/0)
platform_tiktok	boolean|integer	no	TikTok aktif (1/0)
platform_youtube	boolean|integer	no	YouTube aktif (1/0)

Example Request Body

```
{"id":22029,"platform_kick":1,"platform_twitch":0,"platform_youtube":1}
```

Example Success Response

```
{"success":true,"id":22029,"command":"hello","platform_kick":1,"platform_twitch":0,"platform_tiktok":1,"platform_youtube":1}
```

AI Bot - 2 endpoints

POST

AI Bot Ayarlarini Guncelle

https://api.missxss.com.tr/v1/ai-bot

AI Bot ayarlarini bagimsiz olarak gunceller. Istediginiz alani tek basina gonderebilirsiniz. gemini_aktif ve ai_sadeceAbone icin on/off/toggle desteklenir. ai_text degisirse konusma gecmisi otomatik temizlenir.

scope: ai-bot
limit: 20/min

Parameters

Name	Type	Req	Description

gemini_aktif	string	no	AI Bot durumu: on | off | toggle
ai_sadeceAbone	string	no	Sadece abonelere ozel mod: on | off | toggle
ai_text	string	no	AI Bot prompt metni (maksimum 12000 karakter)

Example Request Body

```
{"gemini_aktif":"on"}
```

Example Success Response

```
{"success":true,"gemini_aktif":1,"ai_sadeceAbone":0,"ai_text_updated":true,"clearai_triggered":false}
```

POST

AI Gecmisini Temizle

scope: clear-ai
limit: 10/min

https://api.missxss.com.tr/v1/clear-ai

AI konusma gecmisini temizler. !clearai komutunun API karsiligidir.

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"cleared":true}
```

Moderasyon - 12 endpoints

POST

Timeout

scope: timeout
limit: 200/min

https://api.missxss.com.tr/v1/timeout

Bir kullaniciya belirli sureligine timeout atar. Sure dakika cinsindendir (maksimum 525600 dakika = 1 yil).

Parameters

Name	Type	Req	Description
username	string	yes	Timeout atilacak kullanici adi
duration	integer	no	Sure (dakika). Min: 1, Maks: 525600. Varsayilan: 1
reason	string	no	Timeout sebebi (varsayilan: "API Timeout")

platform	string	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body

```
{"username":"troll_user","duration":5,"reason":"Spam yapma"}
```

Example Success Response

```
{"success":true}
```

POST Ban

https://api.missxss.com.tr/v1/ban

Bir kullaniciyi kalici olarak yasaklar. Dikkatli kullanin.

scope: ban
limit: 200/min

Parameters

Name	Type	Req	Description
username	string	yes	Yasaklanacak kullanici adi
userid	string	no	Yasaklanacak kullanici ID. username ile birlikte gonderilirse userid oncelikli olarak kullanilir.
reason	string	no	Ban sebebi (varsayilan: "API Ban")
platform	string	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body

```
{"username":"bad_user","reason":"Kural ihlali"}
```

Example Success Response

```
{"success":true}
```

POST Sohbeti Temizle

https://api.missxss.com.tr/v1/clear-chat

Tum chat mesajlarini temizler.

scope: clear-chat
limit: 15/min

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true}
```

POST

Kalkan Modu Yonet

https://api.missxss.com.tr/v1/shield-mode

Kalkan modunu acar, kapatir veya toggle eder. mode parametresi: on, off, toggle.

scope: shield-mode
limit: 15/min

Parameters

Name	Type	Req	Description
mode	string	no	Islem modu: on | off | toggle (varsayilan: toggle)
duration	integer	no	Kalkan ban kontrol penceresi (dakika, min: 0). Sadece acma/toggle->acik sirasinda kullanilir.

Example Request Body

```
{"mode":"on"}
```

Example Success Response

```
{"success":true,"shield_mode":1,"changed":true,"mode":"on"}
```

POST

Kalkan Modu Durumu

https://api.missxss.com.tr/v1/get-shield-mode-status

Kalkan modu ayarlarini mevcut durumuyla doner.

scope: get-shield-mode-status
limit: 90/min

Parameters

Name	Type	Req	Description
No parameters. Send an empty JSON body or omit body.			

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"shield_mode":1,"shield_ban_enabled":1,"shield_lookback_minutes":2}
```

POST

Moderasyon Ozelligi Ac / Kapat

https://api.missxss.com.tr/v1/set-moderation-feature

Belirli moderasyon ozelligini acar, kapatir veya toggle eder.

scope: set-moderation-feature
limit: 10/min

Parameters

Name	Type	Req	Description
feature	string	yes	username_kontrol, spam_korumasi, link_korumasi, kufur_korumasi, caps_korumasi, flood_korumasi, coklu_hesap_spam, ziyaretci_kontrol
mode	string	yes	on | off | toggle

Example Request Body

```
{"feature":"spam_korumasi","mode":"on"}
```

Example Success Response

```
{"success":true,"feature":"spam_korumasi","enabled":1,"changed":true,"mode":"on"}
```

POST

Moderasyon Durumu

scope: get-moderation-status
limit: 90/min

https://api.missxss.com.tr/v1/get-moderation-status

Tum moderasyon modullerinin acik/kapali durumunu doner. feature gonderilirse tek modul durumu doner.

Parameters

Name	Type	Req	Description
feature	string	no	Opsiyonel tek modul adi

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"status":{"username_kontrol":1,"spam_korumasi":1,"link_korumasi":1,"kufur_korumasi":1,"caps_korumasi":1,"flood_kor
esap_spam":0,"ziyaretci_kontrol":1,"kalkan_modu":0,"kalkan_ban":1,"kalkan_sure":2}}
```

POST

Platform Ban Listesi

scope: get-platform-ban-list
limit: 60/min

https://api.missxss.com.tr/v1/get-platform-ban-list

platform_ban_list tablosundaki ban kayitlarini listeler.

Parameters

Name	Type	Req	Description
platform	string	no	Kick | Twitch | YouTube | TikTok (opsiyonel filtre)
limit	integer	no	Kayit sayisi (1-200, varsayilan: 50)
offset	integer	no	Baslangic ofseti (varsayilan: 0)

Example Request Body


```
{"platform":"Kick","limit":20,"offset":0}
```


Example Success Response


```
{"success":true,"total":8,"limit":20,"offset":0,"platform":"Kick","bans":[{"id":15,"platform":"Kick","banned_id":"123","banned_use
"reason":"spam"}]}
```


POST

Moderasyon Loglari

https://api.missxss.com.tr/v1/get-moderation-log

scope: get-moderation-log
limit: 60/min

Moderasyon kayitlarini event tablosundan doner. Kaynak: eventlog() ile yazilan event kayitlaridir.

Parameters

Name	Type	Req	Description
type	string	no	Filtre: all | ban | timeout | shield (varsayilan: all)
limit	integer	no	Kayit sayisi (1-50, varsayilan: 25)
offset	integer	no	Baslangic ofseti (varsayilan: 0)

Example Request Body


```
{"type":"all","limit":25,"offset":0}
```


Example Success Response


```
{"success":true,"source":"event","type":"all","limit":25,"offset":0,"logs":[{"id":991,"type":"Timeout","username":"user1","date":"
14:20:00"}]}
```


POST

Kullanici Unban

https://api.missxss.com.tr/v1/unban-user

scope: unban-user
limit: 60/min

Belirtilen kullanici uzerindeki bani kaldirir.

Parameters

Name	Type	Req	Description
username	string	yes	Unban yapilacak kullanici adi
platform	string	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body


```
{"username":"old_banned_user"}
```

Example Success Response


```
{"success":true,"username":"old_banned_user","platform":"Kick"}
```


POST Son Bani Geri Al

scope: undo-last-ban
limit: 30/min

`https://api.missxss.com.tr/v1/undo-last-ban`

Platformun canli aktif ban listesini yeniler ve en son uygulanan bani kaldirir. Banin MissXss, yayinci veya baska bir moderator tarafindan uygulanmis olmasi fark etmez. Kick ve Twitch desteklenir.

Parameters

Name	Type	Req	Description
platform	string	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body


```
{"platform":"Kick"}
```


Example Success Response


```
{"success":true,"action":"unban","platform":"Kick","user":{"id":"123","username":"viewer","displayname":"Viewer"},"original_ban":{"moderator":"moderator","reason":"spam","banned_at":"2026-07-15 18:30:00"},"method":"Kick API"}
```


POST Son Takip Edenleri Banlama

scope: ban-recent-followers
limit: 200/min

`https://api.missxss.com.tr/v1/ban-recent-followers`

Son takip eden kisileri hizli bir sekilde banlayan/timeout atan endpoint. Maksimum 10 kisiye kadar ban atabilir. offset parametresi ile hangi pozisyondan baslayacagini (1 = en son takip eden), count parametresi ile kac kisiye ban atilacagini belirlersiniz.

Parameters

Name	Type	Req	Description
action	string	yes	ban veya timeout
offset	integer	no	Baslangic pozisyonu (1 = en son takip eden; varsayilan: 1)
count	integer	no	Kac kisiye islem yapilacagi (1-10; varsayilan: 1)
duration	integer	no	Timeout suresi dakika cinsinden, sadece action=timeout icin (min: 1, maks: 525600; varsayilan: 1)
reason	string	no	Islem sebebi (varsayilan: "API Ban Recent")
platform	string	no	Kick veya Twitch (varsayilan: Kick)

Example Request Body


```
{"action":"ban","offset":1,"count":2,"reason":"Spam"}
```


Example Success Response


```
{"success":true,"action":"ban","processed_count":2,"users":[{"username":"user1","userid":"123"},{"username":"user2","userid":"456"
```

Discord Genel - 4 endpoints

POST

Discord Durum Kontrolu

scope: discord-status
limit: 90/min

https://api.missxss.com.tr/v1/discord-status

Discord bot baglantisi, guild/channel bulunurlugu ve temel yetkileri doner.

Parameters

Name	Type	Req	Description
guild_id	string	no	Discord sunucu ID (gonderilmezse aktif ayarlardan okunur)
channel_id	string	no	Discord mesaj kanali ID (opsiyonel kontrol)
log_channel_id	string	no	Discord log kanali ID (opsiyonel kontrol)

Example Request Body

```
{"guild_id":"123456789012345678"}
```

Example Success Response

```
{"success":true,"bot_connected":true,"guild_found":true,"channel_found":true,"permissions":{"manage_roles":true,"move_members":true
true}}
```

POST

Discord Kanal Listesi

scope: discord-channels
limit: 90/min

https://api.missxss.com.tr/v1/discord-channels

Discord hesabinizda hlen sahip veya yonetici oldugunuz ve botun bagli oldugu sunucularin guncel kanal listesini Discord uzerinden doner. guilds[].id sunucu ID'sidir; yeni kanallar icin onbellek yenilemek gerekmez.

Parameters

Name	Type	Req	Description
guild_id	string	no	Yalnizca yetkili oldugunuz bir sunucunun kanallarini listelemek icin sunucu ID

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"total_guilds":1,"total_channels":3,"total_text_channels":2,"total_voice_channels":1,"guilds":[{"id":"1234567890123
y
Server","channels":[{"id":"234567890123456789","name":"general","type":"text"},{"id":"345678901234567890","name":"announcements","
nt"}],"voice_channels":[{"id":"456789012345678901","name":"Lobby","type":"voice"}]}]}
```

POST

Discord Mesaj Gonder

scope: discord-send-message
limit: 30/min

`https://api.missxss.com.tr/v1/discord-send-message`

Discord hesabinizda sahip veya yonetici oldugunuz sunuculardan birinin kanalina metin veya embed mesaj gonderir. Sunucu yetkisi her istekte Discord uzerinden dogrulanir.

Parameters

Name	Type	Req	Description
`channel_id`	`string`	yes	Hedef Discord kanal ID (zorunlu)
`guild_id`	`string`	no	Sunucu ID (istege bagli; verilmezse kanalin sunucusu kullanilir)
`message`	`string`	no	Gonderilecek metin mesaji (maksimum 2000 karakter)
`embed_title`	`string`	no	Embed mesaj basligi (maksimum 256 karakter)
`embed_description`	`string`	no	Embed mesaj aciklamasi (maksimum 4096 karakter)
`embed_color`	`string`	no	Embed renk kodu (hex: #FF5733 veya decimal: 16721715)

Example Request Body

```
{"channel_id":"1383215007457611957","guild_id":"700705230106394645","message":"Merhaba Discord!"}
```

Example Success Response

```
{"success":true,"channel_id":"1383215007457611957","guild_id":"700705230106394645","message_id":"1445427371040571642"}
```

POST

Discord Bagli Kullanicilari Listele

scope: discord-linked-users
limit: 90/min

`https://api.missxss.com.tr/v1/discord-linked-users`

Bu yayinciya bagli Discord-Kick/Twitch baglanti kayitlarini sayfali doner.

Parameters

Name	Type	Req	Description
`limit`	`integer`	no	Sayfa basina kayit (1-200, varsayilan 50)
`offset`	`integer`	no	Baslangic ofseti (varsayilan 0)

Example Request Body

```
{"limit":50,"offset":0}
```

Example Success Response

```
{"success":true,"total":120,"limit":50,"offset":0,"users":[{"id":1,"discord_id":"123","kick_id":"456","twitch_id":"789"}]}
```

Discord Ses Yonetimi - 7 endpoints

POST

Discord Ses Uyelerini Listele

scope: discord-voice-members
limit: 90/min

`https://api.missxss.com.tr/v1/discord-voice-members`

Guild icindeki tum ses kanallarini veya tek bir ses kanalindaki uyeleri doner. Guild ID otomatik olarak hesap ayarlarindan okunur.

Parameters

Name	Type	Req	Description
channel_id	string	no	Tek bir ses kanalini filtrelemek icin kanal ID

Example Request Body

```
{}
```

Example Success Response

```
{"success":true,"guild_id":"123456789012345678","total_channels":2,"channels":[{"id":"111","name":"Genel","member_count":3}]}
```

POST

Discord Ses Kanalindan At

scope: discord-voice-kick
limit: 30/min

`https://api.missxss.com.tr/v1/discord-voice-kick`

Belirtilen kullaniciyi bulundugu ses kanalindan cikarir. Guild ID otomatik olarak hesap ayarlarindan okunur (guvenlik nedeniyle).

Parameters

Name	Type	Req	Description
discord_id	string	yes	Atilacak Discord kullanici ID

Example Request Body

```
{"discord_id":"555555555555555555"}
```

Example Success Response

```
{"success":true,"discord_id":"555555555555555555","kicked":true}
```

POST

Discord Kullaniciyi Tasi

scope: discord-voice-move
limit: 30/min

`https://api.missxss.com.tr/v1/discord-voice-move`

Belirtilen kullaniciyi hedef ses kanalina tasir. target_channel_id gonderilmezse kullanici, yayincinin o anda bulundugu ses kanalina cekilir. Yayinci seste degilse islem hata doner. Guild ID otomatik olarak hesap ayarlarindan okunur.

Parameters

Name	Type	Req	Description

discord_id	string	yes	Tasinacak Discord kullanici ID
target_channel_id	string	no	Opsiyonel hedef ses kanal ID. Gonderilmezse yayincinin bulundugu kanal kullanilir.

Example Request Body

```
{"discord_id":"555555555555555555"}
```

Example Success Response

```
{"success":true,"discord_id":"555555555555555555","target_channel_id":"999999999999999999","moved":true}
```

POST

Discord Kullanici Sustur/Ac

scope: discord-voice-mute
limit: 30/min

https://api.missxss.com.tr/v1/discord-voice-mute

Belirtilen kullaniciyi susturur, susturmasini kaldirir veya toggle eder. Guild ID otomatik olarak hesap ayarlarindan okunur (guvenlik nedeniyle).

Parameters

Name	Type	Req	Description
discord_id	string	yes	Discord kullanici ID
mode	string	no	on | off | toggle (varsayilan: toggle)

Example Request Body

```
{"discord_id":"555555555555555555","mode":"on"}
```

Example Success Response

```
{"success":true,"discord_id":"555555555555555555","muted":true,"changed":true,"mode":"on"}
```

POST

Discord Herkesi Sustur

scope: discord-voice-mute-all
limit: 30/min

https://api.missxss.com.tr/v1/discord-voice-mute-all

Belirtilen ses kanalindaki (bot haric) tum kullanicilari susturur. Guild ID otomatik olarak hesap ayarlarindan okunur (guvenlik nedeniyle).

Parameters

Name	Type	Req	Description
channel_id	string	yes	Ses kanal ID

Example Request Body

```
{"channel_id":"999999999999999999"}
```

Example Success Response

```
{"success":true,"channel_id":"999999999999999999","muted_count":6}
```

POST

Discord Herkesin Sesini Ac

scope: discord-voice-unmute-all
limit: 30/min

https://api.missxss.com.tr/v1/discord-voice-unmute-all

Belirtilen ses kanalindaki (bot haric) tum kullanicilarin susturmasini kaldirir. Guild ID otomatik olarak hesap ayarlarindan okunur (guvenlik nedeniyle).

Parameters

Name	Type	Req	Description
channel_id	string	yes	Ses kanal ID

Example Request Body

```
{"channel_id":"999999999999999999"}
```

Example Success Response

```
{"success":true,"channel_id":"999999999999999999","unmuted_count":6}
```

POST

Discord Herkesi Odaya Cek

scope: discord-voice-pull-all
limit: 30/min

https://api.missxss.com.tr/v1/discord-voice-pull-all

Kullanicilari tek odaya toplar. from_channel_id gonderilirse sadece o odadakileri, gonderilmezse tum ses kanallarindaki kullanicilari target_channel_id kanalina tasir. Guild ID otomatik olarak hesap ayarlarindan okunur (guvenlik nedeniyle).

Parameters

Name	Type	Req	Description
target_channel_id	string	yes	Tasinacak hedef ses kanal ID
from_channel_id	string	no	Kaynak ses kanal ID (opsiyonel)

Example Request Body

```
{"target_channel_id":"999999999999999999"}
```

Example Success Response

```
{"success":true,"target_channel_id":"999999999999999999","source_channel_id":null,"moved_count":4}
```

Voicemod - 3 endpoints

POST

Ses Degistir

scope: voicemod-voice-change
limit: 60/min

https://api.missxss.com.tr/v1/voicemod-voice-change

Voicemod uzerinden ses efekti degistirir. Overlay baglantisi gereklidir.

Parameters

Name	Type	Req	Description

voice	string	yes	Ses efekti adi (or: "baby", "deep")
wait_time	integer	no	Efekt suresi (saniye, varsayilan: 60)
original_voice	integer	no	Sure sonunda orijinal sese don (0 veya 1, varsayilan: 0)

Example Request Body

```
{"voice":"baby","wait_time":60}
```

Example Success Response

```
{"success":true}
```

POST Ses Efekti Cal

https://api.missxss.com.tr/v1/voicemod-effect-play

Voicemod sesli meme efekti calar (soundboard).

scope: voicemod-effect-play
limit: 60/min

Parameters

Name	Type	Req	Description
voice	string	yes	Efekt adi

Example Request Body

```
{"voice":"applause"}
```

Example Success Response

```
{"success":true}
```

POST Kendi Sesini Duy

https://api.missxss.com.tr/v1/voicemod-hear-self

Voicemod "Kendi Sesini Duy" ozelligini belirli sureligine aktiflestirir.

scope: voicemod-hear-self
limit: 60/min

Parameters

Name	Type	Req	Description
wait_time	integer	no	Sure (saniye, varsayilan: 60)

Example Request Body

```
{"wait_time":120}
```

Example Success Response

```
{"success":true}
```